

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

### Bamoos Lake

**O'Neill Twp., Thunder Bay Dist.** (48°49'01"N 86°21'15"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's recreational fishing regulations (<https://www.ontario.ca/travel-and-recreation/ontario-fishing-regulations-summary>) before going fishing.

Help understanding the fish consumption advisories (<https://www.ontario.ca/environment-and-energy/how-use-ministry-environment-map#advisories>)

### Lake Trout<sup>1, 2</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>			16	16	16	12	12	8	4	4	2	2	
<b>Sensitive population*</b>			12	8	4	4	4	4	0	0	0	0	

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Related

Map: Guide to eating Ontario fish (<https://www.ontario.ca/page/eating-ontario-fish>)

Updated: October 17, 2021

Published: March 20, 2014

---

[about Ontario](https://www.ontario.ca/page/about-ontario) (<https://www.ontario.ca/page/about-ontario>)

[accessibility](https://www.ontario.ca/page/accessibility) (<https://www.ontario.ca/page/accessibility>)

[news](http://news.ontario.ca/newsroom/en) (<http://news.ontario.ca/newsroom/en>)

[privacy](https://www.ontario.ca/page/privacy-statement) (<https://www.ontario.ca/page/privacy-statement>)

[terms of use](https://www.ontario.ca/page/terms-use) (<https://www.ontario.ca/page/terms-use>)

© Queen's Printer for Ontario, 2012–22 (<https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario>)

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

---

### Black River

**downstream Wawatay Dam, Thunder Bay Dist.** (48°39'31"N 86°14'05"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's recreational fishing regulations (<https://www.ontario.ca/travel-and-recreation/ontario-fishing-regulations-summary>) before going fishing.

Help understanding the fish consumption advisories (<https://www.ontario.ca/environment-and-energy/how-use-ministry-environment-map#advisories>)

### Walleye<sup>1</sup>

Length (cm) →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
Length (in) →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
General population			4	4	4	4	4	4					
Sensitive population*			0	0	0	0	0	0					

More information about the Walleye (<https://www.ontario.ca/page/walleye>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Related

Map: Guide to eating Ontario fish (<https://www.ontario.ca/page/eating-ontario-fish>)

Updated: October 17, 2021

Published: March 20, 2014

---

[about Ontario \(https://www.ontario.ca/page/about-ontario\)](https://www.ontario.ca/page/about-ontario)

[accessibility \(https://www.ontario.ca/page/accessibility\)](https://www.ontario.ca/page/accessibility)

[news \(http://news.ontario.ca/newsroom/en\)](http://news.ontario.ca/newsroom/en)

[privacy \(https://www.ontario.ca/page/privacy-statement\)](https://www.ontario.ca/page/privacy-statement)

[terms of use \(https://www.ontario.ca/page/terms-use\)](https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (<https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario>)

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

### Black River

**upstream Wawatay Dam, Thunder Bay Dist.** (48°40'06"N 86°13'17"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's recreational fishing regulations (<https://www.ontario.ca/travel-and-recreation/ontario-fishing-regulations-summary>) before going fishing.

Help understanding the fish consumption advisories (<https://www.ontario.ca/environment-and-energy/how-use-ministry-environment-map#advisories>)

### Walleye<sup>1</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>				8	4	4	2						
<b>Sensitive population*</b>				4	0	0	0						

More information about the Walleye (<https://www.ontario.ca/page/walleye>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Related

Map: Guide to eating Ontario fish (<https://www.ontario.ca/page/eating-ontario-fish>)

Updated: October 17, 2021

Published: March 20, 2014

---

[about Ontario \(https://www.ontario.ca/page/about-ontario\)](https://www.ontario.ca/page/about-ontario)

[accessibility \(https://www.ontario.ca/page/accessibility\)](https://www.ontario.ca/page/accessibility)

[news \(http://news.ontario.ca/newsroom/en\)](http://news.ontario.ca/newsroom/en)

[privacy \(https://www.ontario.ca/page/privacy-statement\)](https://www.ontario.ca/page/privacy-statement)

[terms of use \(https://www.ontario.ca/page/terms-use\)](https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (<https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario>)

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

---

### Knob Lake

**Thunder Bay Dist.** (48°47'53"N 86°27'15"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's recreational fishing regulations (<https://www.ontario.ca/travel-and-recreation/ontario-fishing-regulations-summary>) before going fishing.

Help understanding the fish consumption advisories (<https://www.ontario.ca/environment-and-energy/how-use-ministry-environment-map#advisories>)

### White Sucker<sup>1</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		32	32	16	16	16							
<b>Sensitive population*</b>		16	12	8	8	4							

More information about the White Sucker (<https://www.ontario.ca/page/white-sucker>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

# Yellow Perch<sup>1</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>	12	8	4										
<b>Sensitive population*</b>	4	0	0										

More information about the Yellow Perch (<https://www.ontario.ca/page/yellow-perch>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Related

Map: Guide to eating Ontario fish (<https://www.ontario.ca/page/eating-ontario-fish>)

Updated: October 17, 2021

Published: March 20, 2014

[about Ontario \(https://www.ontario.ca/page/about-ontario\)](https://www.ontario.ca/page/about-ontario)

[accessibility \(https://www.ontario.ca/page/accessibility\)](https://www.ontario.ca/page/accessibility)

[news \(http://news.ontario.ca/newsroom/en\)](http://news.ontario.ca/newsroom/en)

[privacy \(https://www.ontario.ca/page/privacy-statement\)](https://www.ontario.ca/page/privacy-statement)

[terms of use \(https://www.ontario.ca/page/terms-use\)](https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (<https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario>)

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

### Lake Superior 8a - Peninsula Harbour

**Harbour and immediate vicinity** (48°44'01"N 86°24'16"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's recreational fishing regulations (<https://www.ontario.ca/travel-and-recreation/ontario-fishing-regulations-summary>) before going fishing.

Help understanding the fish consumption advisories (<https://www.ontario.ca/environment-and-energy/how-use-ministry-environment-map#advisories>)

#### Burbot (Ling)<sup>1</sup>

<b>Length (cm)</b> →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in)</b> →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>						4	4	4					
<b>Sensitive population*</b>						0	0	0					

More information about the Burbot (Ling) (<https://www.ontario.ca/page/burbot>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Lake Trout<sup>1, 2, 3</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>				8	8	8	8	4	2	1	0	0	0
<b>Sensitive population*</b>				8	8	8	8	4	0	0	0	0	0

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Lake Whitefish<sup>1, 2, 4</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>				32	16	16	16	16					
<b>Sensitive population*</b>				16	16	16	16	16					

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Longnose Sucker<sup>1, 2</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		4	4	2	2	1	1	0					
<b>Sensitive population*</b>		4	4	0	0	0	0	0					

\*Sensitive Population: Women of child-bearing age and children under 15.



<b>General population</b>								12	8					
<b>Sensitive population*</b>								4	4					

More information about the Walleye (<https://www.ontario.ca/page/walleye>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## White Sucker<sup>1, 2</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		8	4	4	4	0	0						
<b>Sensitive population*</b>		4	0	0	0	0	0						

More information about the White Sucker (<https://www.ontario.ca/page/white-sucker>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

### Related

Map: Guide to eating Ontario fish (<https://www.ontario.ca/page/eating-ontario-fish>)

Updated: October 17, 2021  
Published: March 20, 2014

about Ontario (<https://www.ontario.ca/page/about-ontario>)

accessibility (<https://www.ontario.ca/page/accessibility>)

[news \(http://news.ontario.ca/newsroom/en\)](http://news.ontario.ca/newsroom/en)

[privacy \(https://www.ontario.ca/page/privacy-statement\)](https://www.ontario.ca/page/privacy-statement)

[terms of use \(https://www.ontario.ca/page/terms-use\)](https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012-22 (<https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario>)

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

### Pic River

**below Black River confluence, Pic Twp.** (48°37'13"N 86°16'18"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's recreational fishing regulations (<https://www.ontario.ca/travel-and-recreation/ontario-fishing-regulations-summary>) before going fishing.

Help understanding the fish consumption advisories (<https://www.ontario.ca/environment-and-energy/how-use-ministry-environment-map#advisories>)

### Northern Pike<sup>1</sup>

<b>Length (cm)</b> →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in)</b> →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>												0	0
<b>Sensitive population*</b>												0	0

More information about the Northern Pike (<https://www.ontario.ca/page/northern-pike>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

# Walleye<sup>1</sup>

<b>Length (cm)</b> →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in)</b> →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		16	16	12	12	8	8						
<b>Sensitive population*</b>		8	4	4	4	4	4						

More information about the Walleye (<https://www.ontario.ca/page/walleye>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Related

Map: Guide to eating Ontario fish (<https://www.ontario.ca/page/eating-ontario-fish>)

Updated: October 17, 2021

Published: March 20, 2014

[about Ontario \(https://www.ontario.ca/page/about-ontario\)](https://www.ontario.ca/page/about-ontario)

[accessibility \(https://www.ontario.ca/page/accessibility\)](https://www.ontario.ca/page/accessibility)

[news \(http://news.ontario.ca/newsroom/en\)](http://news.ontario.ca/newsroom/en)

[privacy \(https://www.ontario.ca/page/privacy-statement\)](https://www.ontario.ca/page/privacy-statement)

[terms of use \(https://www.ontario.ca/page/terms-use\)](https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (<https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario>)

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

### Skipper Lake

**Thunder Bay Dist.** (48°51'07"N 86°23'36"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's recreational fishing regulations (<https://www.ontario.ca/travel-and-recreation/ontario-fishing-regulations-summary>) before going fishing.

Help understanding the fish consumption advisories (<https://www.ontario.ca/environment-and-energy/how-use-ministry-environment-map#advisories>)

### Lake Whitefish<sup>1</sup>

Length (cm) →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
Length (in) →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		16	12	4									
<b>Sensitive population*</b>		8	4	0									

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## White Sucker<sup>1</sup>

<b>Length (cm)</b> →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in)</b> →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		32	32	16									
<b>Sensitive population*</b>		16	16	12									

More information about the White Sucker (<https://www.ontario.ca/page/white-sucker>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Yellow Perch<sup>1</sup>

<b>Length (cm)</b> →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in)</b> →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>	8	4											
<b>Sensitive population*</b>	0	0											

More information about the Yellow Perch (<https://www.ontario.ca/page/yellow-perch>)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

### Related

Map: Guide to eating Ontario fish (<https://www.ontario.ca/page/eating-ontario-fish>)

[about Ontario \(https://www.ontario.ca/page/about-ontario\)](https://www.ontario.ca/page/about-ontario)

[accessibility \(https://www.ontario.ca/page/accessibility\)](https://www.ontario.ca/page/accessibility)

[news \(http://news.ontario.ca/newsroom/en\)](http://news.ontario.ca/newsroom/en)

[privacy \(https://www.ontario.ca/page/privacy-statement\)](https://www.ontario.ca/page/privacy-statement)

[terms of use \(https://www.ontario.ca/page/terms-use\)](https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (<https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario>)